

Joerns Custom Sling Order Form In-Situ

STEP 1 Contact						
Company:					4	A
Delivery Address:				_		
						∀
Tel:						
Email:						(1
Prior to requesting o	changes or if	vou're in any do	ubt, please consul	It this sling's sta	indard specificati	on on page 4.
Ther to requesting t	manges or m	you're iii aily do	abt, picase consu	it tills slilig s sta	maara speemean	on on page 4.
STEP 2 Core SI	ing Dimer	nsions: Select	a standard size or ento	er custom dimensio	ns.	
	□ xs	☐ Small	☐ Medium	☐ Large	☐ XL	Custom
Dimension A	530mm	610mm	690mm	770mm	850mm	mm
Dimension B	820mm	920mm	1040mm	1180mm	1340mm	mm
Polye	ster Net		3D Spacer			
Note: Some slings incorporate i	more than one fa	bric type - please co	onsider this when requ	esting material char	nges. See page 4 for	more information.
STEP 4 Padding	g Options	Add padding to yo	our sling for extra comf	fort. You can add a l	nead support to your s	sling in STEP 6.
□ 5mm HD Foal	m	_	oft Foam Soft Foam	☐ 3mn Spa		☐ Hollow Fibre
☐ Head Support	Special Instruction	ons:				
Body						
Legs						
STEP 5 Inner Li	ining Opti	ons: A lining can	n be added to the insid	e of your sling for e	nhanced comfort.	
Micro		Fixed	Detachable	Lload		
Fleed		(Stitched)	(Velcro®)	☐ Head Support	Body	Legs
					Body	Legs

STEP 6	Head Sup	port: Use page	3 to help illustrate	the shape and size of	head support if required.		
Add Head Support		Add Adjustment Straps		Special Instructions:			
	☐ Add Stiffeners		ners				
STEP 7	Straps, Lo	ops, Clips	& Handles	Adjust strap lengths	s, number of loops, loop colours and positioning handles.		
	Standard Strap Length	Custom Strap Length	Standard No. of Loops	No. of Extra Loops?	Special Instructions: (e.g. quantity and placement of positioning handles)		
Shoulder	440mm	mm	4				
Leg	500mm	mm	4				
Add Positioning Handle(s)			Clip Attachmen	ts (Securi3®)			
Add Mode	esty Loop		the length of stra	lips, please specify o required from the clip (required for both			
				attachment points).			
	mensional illustratio	ons for standard str	ap lengths and loo	op positions.	selection/sequence in the special instructions box above. during transfer. Use page 3 to help illustrate your needs.		
Buckle Belt Length Belt Wi			mm				
STEP 9	Other Opt	ions: Use page	3 to help illustrate	your bespoke require	ements.		
☐ Add Posit	☐ Add Positioning Pocket ☐ Add Centre Markers						
STEP 10	Additiona	l Requirem	ents				
STED 11	Confirmat	ion					
STEP 11	Confirmat	1011					
				ustom sling order defi			
☐ Please ca	III me to discuss/cor	nfirm this order and	/or price prior to m	nanufacture.	hone No:		
Customer PO	Number:			Ord	ered By:		
Order	Quantity:				Signed:		
Sales Order	Number:				Date:		
Please Note: los	orns Healthcare rese	enve the right to refu	se a special order	if deemed unsafe. In s	such event, we will contact you to discuss the matter further		

Please Note: Joerns Healthcare reserve the right to refuse a special order if deemed unsafe. In such event, we will contact you to discuss the matter further.

Please return your completed form to:


orders@joerns.co.uk

Please attach any supporting illustrations when submitting your form.

(T) +44 (0)344 811 1158 **(W)** www.joerns.co.uk

Illustrative Guidance

Please use this page to help illustrate or clarify any bespoke requirements



Standard Specification Breakdown

Please consider the following information when requesting changes to your standard sling.

	Sling Model				
	Oxford In-Situ				
Material					
Core Material	3D Spacer (Black)				
Spine Overlay	N/A				
Leg Overlay	N/A				
Padding					
Head Support	N/A				
Body	None				
Leg Section	Double Layered Spacer (Seamless)				
Head Support					
Included	N/A				
Integrated Stiffeners	N/A				
Adjustment Straps	N/A				
Loops, Clips & Handles					
Sling Attachment Type	Loops				
Positioning Handles	N/A				
Modesty Loop	N/A				
Body Belt					
Included	N/A				
Attachment Type	N/A				
Other Options					
Centre Markers	N/A				
Positioning Pocket	N/A				

You do not need to submit this page, it is for your reference only.